



DENTAL TECHNOLOGY SERVICES

# Crown and Bridge Ultra and Adhesive



THIS DEVICE CONFORMS TO THE RELEVANT ESSENTIAL REQUIREMENTS (UNLESS SHOWN DIFFERENTLY OVERLEAF) SET OUT IN ANNEXE 1 OF THE MEDICAL DEVICE DIRECTIVE (93/42/EEC) AND THIS IS THE STATEMENT FOR THAT PURPOSE

DENTIST Address  Postcode
------------------------------------

Custom made device for the exclusive use of: <b>PATIENT</b>	SPECIAL ORDER CODE  Agreed with technician
--	--

DATE	DATE REQUIRED
------	---------------

18 17 16 15 14 13 12 11	21 22 23 24 25 26 27 28
48 47 46 45 44 43 42 41	31 32 33 34 35 36 37 38

SHADE	SURFACE	GLAZE
Body _____	Smooth _____	Shiny _____
Incisal _____	Medium _____	Medium _____
Neck _____	Rough _____	Matt _____

### STAINING:



### BONDING GOLD

Bio Gold












Precious

Non-precious

### CROWN INLAY POST

Yellow Gold 60%

White Gold

LABIAL MARGIN	FINE METAL COLLAR <input type="checkbox"/>	PORCELAIN TO MARGIN <input type="checkbox"/>	PORCELAIN BUTT MARGIN <input type="checkbox"/>	
CONTACTS (EMBRASSURES)	1. BROAD  <input type="checkbox"/>	2. NORMAL  <input type="checkbox"/>	3. POINT  <input type="checkbox"/>	
OCCLUSALT	 <input type="checkbox"/>	 <input type="checkbox"/>	 <input type="checkbox"/>	 <input type="checkbox"/>
PONTIC DESIGN	1. HARMONY  <input type="checkbox"/>	2. CONE  <input type="checkbox"/>	3. HYGENIC  <input type="checkbox"/>	4. RIDGELAP  <input type="checkbox"/>

### INSTRUCTIONS

---



---



---



---

### CHAMELEON CERAMIC VENEERS

Minimal (Traditional)

Transform (Partial)

Complete (Full Crown)

Chameleon Ceramic Inlay

### ZIRCONA RESTORATIONS

Lava Crown

Lava Bridge

Opalite Crown

Opalite Bridge

### PROCERA RESTORATION

Crown

### VECTRIS/BELLEGLASS

Inlay

Crown

Bridge

### RESTORATIONS

Crown Bridge Unit

Crown

Inlay

Maryland Bridge

Para Post/Core

Cast Post/Core

Fibre Post/Core

Integrated Post/Crown

### OTHER AS SPECIFIED

## Running low on lab slips?

Always have the most up to date slips when you download them from [www.dts-international.com/orderforms](http://www.dts-international.com/orderforms)



7-9 Annfield Place, Duke Street, Glasgow G31 2XQ, Scotland

**Tel: 0141 556 5619**

**Fax: 0141 551 9162**

E Mail: [info@dts-international.com](mailto:info@dts-international.com)

Web: [www.dts-international.com](http://www.dts-international.com)